

KANE ACE® PA-220

ACRYLIC PROCESSING AID

Product Description

Kane Ace® PA-220 is a medium-high molecular weight acrylic polymer that enhances the processing of PVC based formulations.

General Benefits

Kane Ace® PA-220 has a fine particle size distribution that enhances dispersion properties and efficiency. Kane Ace® PA-220 is an excellent general purpose processing aid that promotes a wide processing window, providing the flexibility to limit the number of processing aids for various applications.

Typical Applications and Benefits

- Extruded Profiles- Melt elasticity, melt strength and sizing can be improved through the use of PA-220. Impact properties can be optimized with the addition of PA-220 due to its ability to control gelation or fusion properties.
- Injection molded parts – Surface appearance of injection molded parts is greatly enhanced with the addition of Kane Ace® PA 220.
- Plasticized PVC- Kane Ace® PA-220 is effective in improving melt strength and processing of plasticized PVC formulations.

Typical Physical Properties

Chemical Description: Acrylic Copolymer

Physical Form White powder

Bulk Density ≥ 0.35 g /cc

Specific Viscosity 0.90 – 1.30

Volatile matter ≤ 1.5 %

Particle Size ≤ 1.0 % on 16 mesh sieve

Specific Gravity 1.16 g/cc

Safe Handling

Please consult the MSDS for Kane Ace® PA-220 before handling for additional information concerning personal protective equipment, Safety, Health and Environmental information, and always exercise the utmost care in handling.

FDA Compliance

Kane Ace® PA 220 meets the requirements of the PVC Food Sanitation Council, as well as Subsection D, Section 178.3790 of the U.S. Food and Drug Administration regulations. You are advised to contact the company or the manufacturer concerned for information if the modifiers are to be used in food containers or packaging materials. All regulations in the countries where Kane Ace PA is to be used must be observed. Kaneka Texas Corporation will assume no responsibility for any consequences arising from failure to observe these regulations.

Product Packaging

Kane Ace® PA-220 is supplied in 20 kg. polymeric bags and 500 kg. bulk bags.

Contact Information

Please call 1-(800) -526-3223 for additional information or specific recommendations for your intended application.